



Management District Legend

	Design Storm Proposed Conditions	TO	Design Storm Existing Conditions
A	2-Year 5-Year 10-Year 25-Year 100-Year		1-Year 5-Year 10-Year 25-Year 100-Year
B	2-Year 5-Year 10-Year 25-Year 100-Year		1-Year 2-Year 5-Year 10-Year 50-Year
C-1	2-Year 5-Year 10-Year 25-Year		1-Year 2-Year 10-Year 25-Year
C-2*	2-Year 5-Year		1-Year 2-Year

* If storms greater than the 2 - year storm cannot be conveyed to a stream or watercourse in a safe manner (Ordinance Sections 306 A, F, G), then District C-1 requirements shall apply.

In addition to the ordinance criteria above, water quality (Section 303) the ground water recharge (Section 304), and streambank erosion (Section 305) shall also apply.



NOTES:
Portions of these maps were generated from existing data sources as listed below. This existing data was utilized for base mapping purposes and is shown on the maps for spatial reference only. This data did not enter into any computations or affect the reliability of the hydrologic analysis. Borton-Lawson Engineering has found some inaccuracies in some of this data and has corrected the data in locations where these discrepancies were obvious, however, it was not a part of this Act 167 Plan to correct all the base data.

Data Sources:
Roads - PennDOT & BCPC
Streams, Lakes - PennDOT & BCPC
Municipal Boundaries - PennDOT, BLE & BCPC
Subareas - BLE
Management Districts - BLE

ACRONYMS:
PennDOT - Pennsylvania Department of Transportation
BCPC - Bucks County Planning Commission
BLE - Borton Lawson Engineering



Management Districts

East Branch Perkiomen Creek Watershed
Bucks County, PA

ACT 167
Stormwater Management Plan
Phase II

Appendix - D

Map Legend

- Watershed Boundary
- County Boundary
- Municipal Boundaries
- Streams
- Water Bodies
- Interstate Roads
- PA. Traffic Routes
- State Routes
- Local Roads
- Subarea

Prepared For:

Bucks County Planning Commission
The Almshouse
Neshaminy Manor Center
Doylestown, PA 18901



**Borton
Lawson**
ENGINEERING

613 Baltimore Drive
Suite 300
Willsboro, PA 18702-7903
Telephone: (570) 821-1999 Fax: (570) 821-1990

6614 Christoph Drive
Suite 200
Bath, PA 18014
Telephone: (610) 837-5916 Fax: (610) 837-5918

World Wide Web: <http://www.borton-lawson.com>

Prepared By: RSW

Checked By:

Project Number 99650.00

Date: